The following listing of claims is provided for the Examiner's convenience.

Listing of Claims:

Claim 1. (Previously Presented) A method stored on a computer readable medium

including computer executable instructions for automatically generating at least

one test program from a set of scenarios for testing a simulation model of a device

under test (DUT) in a test environment during a test verification process, the

method comprising:

providing a plurality of scenarios, each scenario containing at least

one operation and at least one constraint indicative of compatibility with at least

one other scenario;

selectively defining a set of scenarios from said plurality of

scenarios according to said constraints thereof by resolving conflicts among said

constraints, said set of scenarios excluding conflicting scenarios; and

automatically generating the test program by combining said set of

scenarios to provide at least one operation as input for driving simulated operation

of the DUT.

Claim 2. (Previously Presented) The method of claim 1, wherein said

selectively defining a set of scenarios comprises: selecting a number of said

plurality of scenarios according to meta-data contained in at least one scenario;

Page 2 of 11

MR3529-22

Serial Number: 10/661,772

Response to Office Action dated 12 May 2009

and combining said number of said plurality of scenarios to form a combined scenario instance.

Claim 3. (Original) The method of claim 2, wherein at least one selected scenario comprises a sequence.

Claim 4. (Original) The method of claim 3, wherein at least one selected scenario conflicts with at least one non-selected scenario and wherein said metadata comprises information about said conflict.

Claim 5. (Original) The method of claim 1, wherein said selecting at least one of said plurality of scenarios is performed at least partially according to a configuration of the DUT.

Claim 6. (Original) The method of claim 1, wherein said providing said scenarios is performed during a scenario creation process.

Claim 7. (Original) The method of claim 6, wherein a user performs said scenario creation process.

Claim 8. (Original) The method of claim 1, wherein said providing said plurality of scenarios is performed by a user.

Claim 9. (Original) The method of claim 1, further comprising: generating at least one external file according to said at least one scenario.

Claim 10. (Original) The method of claim 9, further comprising: using said at least one external file at run time for running the test.

Claim 11. (Original) The method of claim 10 further comprising: compiling said at least one external file before said using said at least one external file.

Claim 12. (Original) The method of claim 10, wherein said generating said at least one external file is performed before or concurrently with said generating said test.

Claim 13. (Original) The method of claim 10, wherein said external file comprises an HDL (hardware description language) file for configuring the simulation model.

Claim 14. (Original) The method of claim 1, wherein said generating the test is performed according to an at least partially randomized process.

Claim 15. (Original) The method of claim 14, wherein said randomized process is based upon a plurality of constraints, and wherein said plurality of constraints is provided in said selected scenario.

Claim 16. (Original) The method of claim 1, wherein said generating the test is performed according to said at least one constraint.

Claim 17. (Original) The method of claim 16, wherein each constraint defines a type of expected input variable and a type of operation to be performed on said type of expected input variable.

Claim 18. (Original) The method of claim 17, wherein said constraint comprises a static constraint on a value of said type of expected input variable.

Claim 19. (Original) The method of claim 17, wherein said constraint comprises a dynamic constraint on a value of said type of expected input variable.

Claim 20. (Original) The method of claim 17, wherein said at least one type of expected input variable is at least partially determined according to a simulation model of the DUT.

Claim 21. (Original) The method of claim 1, wherein at least one characteristic of said constraint determines whether said constraint conflicts with another constraint.

Claim 22. (Original) The method of claim 1, wherein the simulation model comprises a plurality of variables, wherein at least one scenario comprises a monitoring operation for monitoring behavior of the simulation model and wherein said monitoring operation comprises sampling at least one value of at least one variable of the simulation model.

Claim 23 (Previously Presented) The method of claim 1, wherein the selectively defining a set of scenarios from said plurality of scenarios according to said at least one constraint is accomplished by automatically selecting a subset of said plurality of scenarios by resolving said constraints of said plurality of scenarios to include in the selected subset only non-conflicting scenarios.